

**FACT SHEET FOR RECIPIENTS AND CAREGIVERS ABOUT THE
PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE
2019 (COVID-19) FOR USE IN INDIVIDUALS 5 THROUGH 11 YEARS OF AGE**

FOR 5 THROUGH 11 YEARS OF AGE

Your child is being offered the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2.

This Fact Sheet for Recipients and Caregivers comprises the Fact Sheet for the authorized Pfizer-BioNTech COVID-19 Vaccine for use in individuals 5 through 11 years of age.^{1,2}

The Pfizer-BioNTech COVID-19 Vaccine has received Emergency Use Authorization (EUA) from the U.S. Food and Drug Administration (FDA) to provide:

- **a two-dose primary series to individuals 5 through 11 years of age.**
- **a third primary series dose to individuals 5 through 11 years of age with certain kinds of immunocompromise.**
- **a single booster dose to individuals 5 through 11 years of age who have completed a primary series with Pfizer-BioNTech COVID-19 Vaccine.**

This Fact Sheet contains information to help you understand the risks and benefits of the Pfizer-BioNTech COVID-19 Vaccine, which your child may receive because there is currently a pandemic of COVID-19. Talk to your child's vaccination provider if you have questions.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please see www.cvdvaccine.com.

¹ You may receive this Fact Sheet even if your child is 4 years old. Children who will turn from 4 years to 5 years of age between any doses in the primary series may receive a 2-dose primary series with the Pfizer-BioNTech COVID-19 Vaccine authorized for use in individuals 5 through 11 years of age. Children who will turn from 4 years to 5 years of age between any doses in the primary series, and who initiated a 3-dose primary series with the Pfizer-BioNTech COVID-19 Vaccine authorized for use in individuals 6 months through 4 years of age, may receive the Pfizer-BioNTech COVID-19 Vaccine authorized for use in individuals 5 through 11 years of age for doses 2 and/or 3.

² You may receive this Fact Sheet even if your child is 12 years old. Children who will turn from 11 years to 12 years of age between doses in the primary regimen may receive, for any dose in the primary series, either: (1) the Pfizer-BioNTech COVID-19 Vaccine authorized for use in individuals 5 through 11 years of age; or (2) COMIRNATY (COVID-19 Vaccine, mRNA) or the Pfizer-BioNTech COVID-19 Vaccine authorized for use in individuals 12 years of age and older.

WHAT YOU NEED TO KNOW BEFORE YOUR CHILD GETS THIS VACCINE

WHAT IS COVID-19?

COVID-19 disease is caused by a coronavirus called SARS-CoV-2. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness leading to death. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

For more information on EUA, see the “**What is an Emergency Use Authorization (EUA)?**” section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR CHILD’S VACCINATION PROVIDER BEFORE YOUR CHILD GETS THE VACCINE?

Tell the vaccination provider about all of your child’s medical conditions, including if your child:

- has any allergies
- has had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- has a fever
- has a bleeding disorder or is on a blood thinner
- is immunocompromised or is on a medicine that affects your child’s immune system
- is pregnant
- is breastfeeding
- has received another COVID-19 vaccine
- has ever fainted in association with an injection

HOW IS THE VACCINE GIVEN?

The Pfizer-BioNTech COVID-19 Vaccine will be given to your child as an injection into the muscle.

Primary Series

The vaccine is administered as a two-dose series, 3 weeks apart. A third primary series dose may be administered at least 28 days after the second dose to individuals with certain kinds of immunocompromise.

Booster Dose

A single booster dose of the vaccine may be administered at least 5 months after completion of a primary series of the Pfizer-BioNTech COVID-19 Vaccine to individuals 5 through 11 years of age.

The vaccine may not protect everyone.

WHO SHOULD NOT GET THE VACCINE?

Your child should not get the vaccine if your child:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine.

WHAT ARE THE INGREDIENTS IN THE VACCINE?

The vaccine includes the following ingredients: mRNA, lipids (((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), tromethamine, tromethamine hydrochloride, sucrose, and sodium chloride.

HAS THE VACCINE BEEN USED BEFORE?

Millions of individuals 12 years of age and older have received the Pfizer-BioNTech COVID-19 Vaccine under EUA since December 11, 2020. In a clinical trial, approximately 3,100 individuals 5 through 11 years of age have received at least 1 dose of Pfizer-BioNTech COVID-19 Vaccine. In other clinical trials, approximately 23,000 individuals 12 years of age and older have received at least 1 dose of the vaccine. The vaccine that is authorized for use in children 5 through 11 years of age includes the same mRNA and lipids but different inactive ingredients compared to the vaccine that has been studied in clinical trials. The use of the different inactive ingredients helps stabilize the vaccine under refrigerated temperatures.

WHAT ARE THE BENEFITS OF THE VACCINE?

The vaccine has been shown to prevent COVID-19.

The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE VACCINE?

There is a remote chance that the vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the vaccine. For this reason, your child's vaccination provider may ask your child to stay at the place where your child received the vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of the face and throat
- A fast heartbeat
- A bad rash all over the body
- Dizziness and weakness

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine. In most of these people, symptoms began within a few days following receipt of the second dose of vaccine. The chance of having this occur is very low. You should seek

medical attention right away if your child has any of the following symptoms after receiving the vaccine:

- Chest pain
- Shortness of breath
- Feelings of having a fast-beating, fluttering, or pounding heart

Side effects that have been reported with the vaccine include:

- Severe allergic reactions
- Non-severe allergic reactions such as rash, itching, hives, or swelling of the face
- Myocarditis (inflammation of the heart muscle)
- Pericarditis (inflammation of the lining outside the heart)
- Injection site pain
- Tiredness
- Headache
- Muscle pain
- Chills
- Joint pain
- Fever
- Injection site swelling
- Injection site redness
- Nausea
- Feeling unwell
- Swollen lymph nodes (lymphadenopathy)
- Decreased appetite
- Diarrhea
- Vomiting
- Arm pain
- Fainting in association with injection of the vaccine

These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The possible side effects of the vaccine are still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If your child experiences a severe allergic reaction, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your child's healthcare provider if your child has any side effects that bother your child or do not go away.

Report vaccine side effects to FDA/CDC Vaccine Adverse Event Reporting System (VAERS). The VAERS toll-free number is 1-800-822-7967 or report online to <https://vaers.hhs.gov/reportevent.html>. Please include "Pfizer-BioNTech COVID-19 Vaccine EUA" in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website	Fax number	Telephone number
www.pfizersafetyreporting.com	1-866-635-8337	1-800-438-1985

You may also be given an option to enroll in v-safe. V-safe is a voluntary smartphone-based tool that uses text messaging and web surveys to check in with people who have been vaccinated to identify potential side effects after COVID-19 vaccination. V-safe asks questions that help CDC monitor the safety of COVID-19 vaccines. V-safe also provides second-dose reminders if needed and live telephone follow-up by CDC if participants report a significant health impact following COVID-19 vaccination. For more information on how to sign up, visit: www.cdc.gov/vsafe.

WHAT IF I DECIDE NOT TO HAVE MY CHILD GET THE PFIZER-BIONTECH COVID-19 VACCINE?

Under the EUA, there is an option to accept or refuse receiving the vaccine. Should you decide for your child not to receive it, it will not change your child’s standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES PFIZER-BIONTECH COVID-19 VACCINE?

Other vaccines to prevent COVID-19 may be available under Emergency Use Authorization.

CAN MY CHILD RECEIVE THE PFIZER-BIONTECH COVID-19 VACCINE AT THE SAME TIME AS OTHER VACCINES?

Data have not yet been submitted to FDA on administration of the Pfizer-BioNTech COVID-19 Vaccine at the same time with other vaccines. If you are considering to have your child receive the Pfizer-BioNTech COVID-19 Vaccine with other vaccines, discuss the options with your child’s healthcare provider.

WHAT IF MY CHILD IS IMMUNOCOMPROMISED?

If your child is immunocompromised, you may be given the option to have your child receive a third primary series dose of the vaccine. The third dose may still not provide full immunity to COVID-19 in people who are immunocompromised, and you should continue to have your child maintain physical precautions to help prevent COVID-19. In addition, your child’s close contacts should be vaccinated as appropriate. In addition, your child may receive a single booster dose after completion of the primary series.

WHAT ABOUT PREGNANCY OR BREASTFEEDING?

If your child is pregnant or breastfeeding, discuss the options with your healthcare provider.

WILL THE VACCINE GIVE MY CHILD COVID-19?

No. The vaccine does not contain SARS-CoV-2 and cannot give your child COVID-19.


KEEP YOUR CHILD’S VACCINATION CARD

When your child gets the first dose, you will get a vaccination card to show when to return for your child’s next dose(s) of the vaccine. Remember to bring the card when your child returns.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below.

Global website	Telephone number
<p data-bbox="315 705 620 737">www.cvdvaccine.com</p> 	<p data-bbox="948 779 1219 848">1-877-829-2619 (1-877-VAX-CO19)</p>

HOW CAN I LEARN MORE?

- Ask the vaccination provider.
- Visit CDC at <https://www.cdc.gov/coronavirus/2019-ncov/index.html>.
- Visit FDA at <https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization>.
- Contact your local or state public health department.

WHERE WILL MY CHILD’S VACCINATION INFORMATION BE RECORDED?

The vaccination provider may include your child’s vaccination information in your state/local jurisdiction’s Immunization Information System (IIS) or other designated system. This will ensure that your child receives the same vaccine when your child returns for the second dose. For more information about IISs visit:

<https://www.cdc.gov/vaccines/programs/iis/about.html>.

CAN I BE CHARGED AN ADMINISTRATION FEE FOR RECEIPT OF THE COVID-19 VACCINE?

No. At this time, the provider cannot charge you for a vaccine dose and you cannot be charged an out-of-pocket vaccine administration fee or any other fee if only receiving a COVID-19 vaccination. However, vaccination providers may seek appropriate reimbursement from a program or plan that covers COVID-19 vaccine administration fees for the vaccine recipient (private insurance, Medicare, Medicaid, Health Resources & Services Administration [HRSA] COVID-19 Uninsured Program for non-insured recipients).

WHERE CAN I REPORT CASES OF SUSPECTED FRAUD?

Individuals becoming aware of any potential violations of the CDC COVID-19 Vaccination Program requirements are encouraged to report them to the Office of the Inspector General, U.S. Department of Health and Human Services, at 1-800-HHS-TIPS or <https://TIPS.HHS.GOV>.

WHAT IS THE COUNTERMEASURES INJURY COMPENSATION PROGRAM?

The Countermeasures Injury Compensation Program (CICP) is a federal program that may help pay for costs of medical care and other specific expenses of certain people who have been seriously injured by certain medicines or vaccines, including this vaccine. Generally, a claim must be submitted to the CICP within one (1) year from the date of receiving the vaccine. To learn more about this program, visit www.hrsa.gov/cicp/ or call 1-855-266-2427.

WHAT IS AN EMERGENCY USE AUTHORIZATION (EUA)?

An EUA is a mechanism to facilitate the availability and use of medical products, including vaccines, during public health emergencies, such as the current COVID-19 pandemic. An EUA is supported by a Secretary of Health and Human Services (HHS) declaration that circumstances exist to justify the emergency use of drugs and biological products during the COVID-19 pandemic. A product authorized for emergency use has not undergone the same type of review by FDA as an FDA-approved product.

FDA may issue an EUA when certain criteria are met, which includes that there are no adequate, approved, and available alternatives. In addition, the FDA decision is based on the totality of the scientific evidence available showing that the product may be effective to prevent COVID-19 during the COVID-19 pandemic and that the known and potential benefits of the product outweigh the known and potential risks of the product. All of these criteria must be met to allow the product to be used during the COVID-19 pandemic.

An EUA is in effect for the duration of the COVID-19 EUA declaration justifying emergency use of this product, unless terminated or revoked (after which the product may no longer be used).

BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany



Manufactured by
Pfizer Inc., New York, NY 10017

LAB-1486-5.1

Revised: 28 June 2022



Scan to capture that this Fact Sheet was provided to vaccine recipient for the electronic medical records/immunization information systems.

GDTI: 0886983000424